

# *Weed Management in Raspberries and Blackberries*

**R. Allen Straw**

**Specialist**

**Virginia Cooperative Extension**

# *Weed Control Program*

- Eliminate tough to control perennial weeds prior to establishments
- Use of plastic or woven groundcover at planting
- Herbicides to maintain vegetation free strips

# *Weed Control*



- Preplant Burndown
  - Roundup
    - Ultra Max 5SL @ 0.8 to 2.4 pints/A
    - WeatherMax 5.5SL @ 11 to 32 fl oz/A

# *Roundup Injury*



# Weed Control (cont.)

- Preemergence
  - Callisto 4L @ 3 to 6 oz/A
  - Casoron 4G @ 100 to 150 lb/A
  - Devrinol 50WDG @ 8 lb/A  
10G @ 40 lb/A
  - Kerb 50WP @ 2 to 4 lb/A
  - Princep 90WDG @ 2.2 to 4.4 lb/A  
4L @ 2 to 4 quarts/A
  - Sinbar 80WP @ 0.5 to 2 lb/A
  - Solicam 80WDG @ 2.5 to 5 lb/A
  - Surflan (Oryzalin) 4AS @ 2 to 4 quarts/A

# *Sinbar Injury*



# *Solicam Injury*



# Weed Control (cont.)

- Postemergence
  - Callisto 4L @ 3 to 6 oz/A
  - Solida 25 WG @ 4 oz/A
  - Zeus Prime XC @ 8 to 15 fl oz/A
- Post- Directed
  - Aim 2EC @ 0.8 to 2 fl oz/A
  - Paraquat
    - Generics (3SL) @ 1.3 to 2.7 pints/A
    - Gramoxone 2SL @ 2 to 4 pints/A



# *Weed Control (cont.)*

- Postemergence Grass Control
  - Crop
    - Poast 1.5EC @ 1.5 to 2.5 pints/A
    - Select Max @ 9 to 16 fl oz/A
  - Nonbearing Only
    - Fusilade DX 2EC @ 16 to 24 fl oz/A
    - Select 2EC @ 6 to 16 fl oz/A

# *Questions ?*

- R. Allen Straw  
SW VA AREC  
12326 VPI Farm Rd.  
Glade Spring, VA 24340  
Mobile: 931.261.0973  
E-mail: [astraw@vt.edu](mailto:astraw@vt.edu)